



## TECHNICAL DATASHEET



### FEATURES

Reference	11049 - 11050 - 11051
Description	Extension mast for ESE air terminal's pole
Guarantee	1 year
Material	316L Stainless Steel
Ref. 11037: 1st extension mast	L. = 2 m / W. = 3 kg / Diam. = 33.7 mm
Ref. 11039: 2nd extension mast	L. = 2 m / W3 = 6 kg / Diam. = 42.4 mm
Ref. 11041: 3rd extension mast	L. = 2 m / W. = 7 kg / Diam. = 48.3 mm
Included parts	Extension mast + Stainless steel clamping ring

### INSTALLATION



### INFORMATIONS

Packaging	Delivered ready to install
Fixing system	Nesting and stainless steel clamping ring
Wind resistance	Addition of a guying kit (ref. 18202) when the total height exceeds 6 m.
Can be fixed on	Facade (fixing brackets) Pylon (fixing brackets) Chimney (hooping) Carpentry (lag screws) Tripod (freestanding or bolt-on)
Made in	France
Complies with	IEC EN 62 561-2

**Qualifoudre**  
INERIS  
N° 051168729019



COMPLIES WITH  
IEC EN 62 561-2



## TECHNICAL DATASHEET

### CONFIGURATION HEIGHTS

Caution: once the extension masts have been fitted together, there is a loss of height.  
Here are some configuration heights that take interlocking into account:

ESE 1 m fixing pole 1st extension mast	2.99 m
ESE 2 m fixing pole 1st extension mast	3.99 m
ESE 1 m fixing pole 1st extension mast 2nd extension mast	4.79 m
ESE 3 m fixing pole 1st extension mast	4.99 m
ESE 2 m fixing pole 1st extension mast 2nd extension mast	5.79 m
ESE 1 m fixing pole 1st extension mast 2nd extension mast 3rd extension mast	6.59 m <i>(Guying kit required)</i>
ESE 2 m fixing pole 1st extension mast 2nd extension mast 3rd extension mast	7.59 m <i>(Guying kit required)</i>
PDA 3 m fixing pole 1st extension mast 2nd extension mast 3rd extension mast	8.59 m <i>(Guying kit required)</i>
ESE 2 m fixing pole 1st extension mast 2nd extension mast 3rd extension mast Extension mast (ref. 11058)	9.39 m <i>(Guying kit required)</i>
ESE 3 m fixing pole 1st extension mast 2nd extension mast 3rd extension mast Extension mast (ref. 11058)	10.39 m <i>(Guying kit required)</i>



**Qualifoudre**  
INERIS  
N° 051168729019



COMPLIES WITH  
IEC EN 62 561-2

 **La FRENCH FAB**